

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|---|------------------|---------|------------------|
| S2 | 678 | S1 and matrix | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/05 17:43 |
| S3 | 19 | S2 and (encipher\$3 or encypher\$3 or encrypt\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/05 17:20 |
| S4 | 28 | S1 and (encipher\$3 or encypher\$3 or encrypt\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/05 17:24 |
| S5 | 9 | S4 not S3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/05 17:28 |
| S6 | 176 | 713/190.ccis. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/05 17:31 |
| S7 | 150 | S6 and @ad<"20010424" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/05 17:42 |
| S8 | 596 | S2 and solv\$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/05 17:44 |
| S9 | 645 | S2 and (solv\$4 or solution) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/05 17:46 |

EAST Search History

| | | | | | | |
|-----|------|--|---|----|-----|------------------|
| S10 | 223 | S9 and key | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/06 08:57 |
| S11 | 2 | "5963731".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/05 17:47 |
| S12 | 1436 | optimization adj problem and @ad<"20010424" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/06 08:57 |
| S13 | 678 | S12 and matrix | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/06 08:57 |
| S14 | 645 | S13 and (solv\$4 or solution) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/06 08:57 |
| S15 | 223 | S14 and key | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/06 08:57 |
| S16 | 455 | S13 not S15 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/06 09:23 |
| S17 | 0 | (713/190.ccls or 713/191.ccls. or 713/193.ccls.) and optimization adj problem and @ad<"20010424" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/06 11:41 |

EAST Search History

| | | | | | | |
|-----|-------|---|---|----|-----|------------------|
| S18 | 126 | yamamoto.in. and yusaku.in. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/06 09:26 |
| S19 | 115 | S18 and @ad<"20010424" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/06 09:46 |
| S20 | 30689 | (problem or solution) and matrix and (encipher\$3 or encrypt\$3 or cryptography or key or obfuscate\$3) and @ad<"20010424" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/06 10:07 |
| S21 | 64 | S20 and solving adj system | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/06 09:51 |
| S22 | 10867 | S20 not S21 and conver\$4 and (send\$4 or transmit\$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/06 10:12 |
| S23 | 1042 | S22 and (decipher\$3 or decrypt\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/06 10:13 |
| S24 | 0 | S23 and ((send\$3 or transmit\$4) adj solution) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/06 10:13 |
| S25 | 177 | S23 and ((send\$3 or transmit\$4) same solution) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/06 10:49 |

EAST Search History

| | | | | | | |
|-----|------|--|---|----|-----|------------------|
| S26 | 865 | S23 not S25 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/06 10:50 |
| S27 | 716 | S26 not protein | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/06 15:40 |
| S28 | 13 | anonymous and optimization adj problem and @ad<"20010424" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/08 16:15 |
| S29 | 1430 | encipher\$3 and solution and problem and @ad<"20010424" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/08 16:16 |
| S30 | 344 | encipher\$3 and solution and problem and secret and @ad<"20010424" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/08 16:46 |
| S31 | 2 | encipher\$3 and solving adj system and @ad<"20010424" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/08 16:47 |
| S35 | 530 | (transfer adj function or transform\$3 or transformation) same problem and solv\$4 near problem and (send\$3 or transmit\$4) same problem and @ad<"20010424" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/08 17:36 |
| S36 | 24 | (transfer adj function or transform\$3 or transformation) same problem and solv\$4 near problem and (send\$3 or transmit\$4) same problem and (encipher\$3 or encrypt\$3) and @ad<"20010424" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/08 17:36 |

EAST Search History

| | | | | | | |
|-----|------|---|---|----|-----|------------------|
| S37 | 2 | "6192475".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/03/16 17:49 |
| S38 | 1424 | tsutomu.in. and matsumoto.in. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/03/17 09:10 |
| S39 | 44 | S38 and (imai.in. or kato.in.) and @ad<"20010424" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/03/17 09:19 |
| S40 | 2 | "6031464".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/03/17 09:19 |
| S41 | 244 | outsourc\$4 and server with program and @ad<"20010424" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/04/05 12:48 |
| S42 | 123 | outsourc\$4 and server with program with (transmit\$4 or send\$3) and @ad<"20010424" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/04/05 16:59 |
| S43 | 123 | outsourc\$4 and server with program with (transmit\$4 or send\$3) and @ad<"20010424" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/04/05 16:59 |
| S44 | 0 | outsourc\$4 same (problem or computation) same program same (transmit\$4 or send\$3) and @ad<"20010424" not S43 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/04/05 16:59 |

EAST Search History

| | | | | | | |
|-----|------|---|--|----|-----|------------------|
| S45 | 0 | outsourc\$4 same (problem or computation) same program same (transmit\$4 or send\$3) and @ad<"20010424" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/04/05 17:00 |
| S47 | 1 | outsourc\$4 same (problem or computation) same program and @ad<"20010424" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/04/05 17:01 |
| S48 | 591 | solv\$4 same (problem or computation) same program same server and @ad<"20010424" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/04/05 17:01 |
| S49 | 53 | solv\$4 same (problem or computation) same (transmit\$4 or send\$4) with program same server and @ad<"20010424" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/04/05 17:12 |
| S50 | 5225 | 709/203.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/04/05 17:12 |
| S51 | 3016 | S50 and @ad<"20010424" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/04/05 17:13 |
| S52 | 492 | S51 and server with (transmit\$4 or send\$4) with program | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/04/05 17:18 |
| S53 | 445 | S52 and server with (solv\$4 or comput\$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/04/05 17:14 |

EAST Search History

| | | | | | | |
|-----|----|--|---|----|-----|------------------|
| S54 | 17 | S52 and server with solv\$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/04/05 17:15 |
| S55 | 74 | S51 and server with (transmit\$4 or send\$4) near program | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/04/05 17:19 |
| S56 | 40 | S51 and server with (transmit\$4 or send\$4) near program with client | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/04/05 17:25 |
| S57 | 71 | server near (transmit\$4 or send\$4) near program with client | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/04/05 17:27 |
| S58 | 44 | S57 and @ad<"20010424" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/04/05 17:25 |
| S59 | 4 | server adj (transmit\$4 or send\$4) adj program with client and @ad<"20010424" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/04/05 17:51 |
| S60 | 2 | "20020157009".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/04/05 17:51 |
| S61 | 1 | S60 and notif\$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/04/05 17:51 |

EAST Search History

| | | | | | | |
|-----|-------|--|---|----|-----|------------------|
| S62 | 2 | "5046094".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/04/21 15:05 |
| S64 | 25 | key with matri\$3 with random\$2 near2 (creat\$3 or generat\$3) and @ad<"20010424" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/02/14 08:50 |
| S67 | 1 | "6996236".pn. and key with random\$3 same matri\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/02/14 08:51 |
| S68 | 33299 | fischer.in. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/02/14 11:35 |
| S69 | 599 | S68 and clock | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/02/14 11:35 |
| S70 | 2 | "5422953".pn. and clock | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/02/14 11:36 |
| S71 | 1 | "20020157009".pn. and linear | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/27 10:36 |
| S72 | 397 | 713/189.ccls. and @ad<"20010424" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/06 11:45 |

EAST Search History

| | | | | | | |
|-----|-----|---|---|----|-----|------------------|
| S73 | 72 | yusaku near2 yamamoto.in. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/06 11:46 |
| S74 | 8 | ken near2 naono.in. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/06 11:47 |
| S75 | 800 | satoshi near2 ito.in. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/06 13:58 |
| S76 | 556 | (713/190.ccls. 709/203.ccls.) and @ad<"20010424" and @pd>"20050105" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/06 13:59 |